

FIREFIGHTING UNITS

Silvan firefighting units are made of high quality components sourced from world class manufacturers. Ideal for water transfer and washdown of large machinery.



400 LITRE HONDA/DAVEY **FIREFIGHTER**

• 5 5HP Honda GX160 motor with Davey single impeller pump max pressure 80psi (425L/min open flow)



SQF400D: 20m hose & adjustable nozzle SQF400D-1: Hose reel with 30m hose & adjustable nozzle

WAS \$3,310



600 LITRE HONDA DAVEY FIREFIGHTING UNIT

- UV stabilised Polytuff tank that meets the harsh Australian conditions
- 4 Stroke 5.5HP GX160 Honda Engine, Davey Pump 425L/min or 80psi max
- · Screw down lid with breather and strainer basket
- · Tie down points moulded into the top of the tank



UNIQUE TWIN



800L SELECTA POWER UNIT

Heavy duty hosereel, fitted with 30mtr 3/4" I.D. hose and poly adjustable firefighting nozzle.

- 4 Stroke 6.5HP Selecta Power Engine, twin Allov Impellor
- 100psi max pressure or 250L/Min open flow





400L, 600L & 800 LITRE BARE DIY SELECTA FIREFIGHTING TANKS

Firefighting SquatPak tanks are fitted with a base plate and are Baffled to reduce surge when travelling.

WAS \$1,020 SQF400B **PRICE** WAS \$1.150 SQF600B WAS \$1.630 600L



- . UV stabilised Polytuff tank that meets the harsh Australian conditions
- 4 Stroke 5.5HP GX160 Honda Engine. Davey Pump 425L/min or 80psi max
- · Screw down lid with breather and strainer basket
- · Tie down points moulded into the top of the tank









REEL 30M WITH NOZZLE · Fitted with 30 metres

- of 3/4" delivery hose
- · Adjustable poly nozzle
- Supplied with mounting brackets to suit Squatpak tanks - 400 and 800 litre



800L HONDA 5.5HP **DAVEY UNIT**

• 5.5HP Honda twin stage pump





1100 LITRE HONDA DAVEY FIREFIGHTING UNIT

- 5.5HP GX160 Honda Engine and Davey pump
- 80psi max pressure or 425L/Min open flow
- · Heavy duty 30 meter hose reel
- Galvanised Heavy Duty skid base and fork lift mounting



FIRE PUMP 6.5HP 2 STAGE

For firefighting and watering featuring a carry/mounting frame for mobility and added protection.

· 4 stroke over head cam engine with oil alert

 Max. 250 L/min open flow, Max. 100psi pressure

WAS \$681














FIREFIGHTING PISTOL

Brass body covered by a shockproof plastic housings and fitted with 3 shockproof rings.

· Ideal for firefighting or wash down



FIREFIGHTING UNITS

FIREFIGHTING NOZZLE

High density plastic outer and inner body with adjustable spray from straight to conical pattern.

422-502





2200 LITRE HONDA DAVEY SLED UNIT

- Honda 4 Stroke 5.5HP GX160 engine direct coupled to Davey Pump
- Max 425L/min open flow or max 80psi pressure
- Heavy duty hosereel, 30m x 34" hose and adjustable nozzle
- Galvanised Heavy Duty skid base and fork lift mounting







400 LITRE SKID SPRAYER WITH REEL TUFF REMOTE REEL

- 400L tank with sump fitted to galvanised skid
- · Honda engine and Comet 60/20 pump (58L/min open flow, 20 bar (290psi) max pressure)
- 100m Smoothline hose & Turbo 400 spray gun

400L SINGLE REEL 400L TWIN REEL L04H4-38R147



800 LITRE ON-FARM FIRE FIGHTING UNIT

6.5 HP Selecta Power Engine with low oil protection. Max. 250 L/min open flow or max. 100psi pressure

- Galvanised trailer with mudguards
- 50mm tow hitch and Jockey wheel
- Polytuff tank with unique Double baffle design reduces surge when travelling
- Screw down lid with breather and strainer basket for leaves and other debris
- Hose Reel fitted with 30m 3/4" firefighting hose & poly fire nozzle

800 LITRE



600 LITRE SKID SPRAYER WITH REEL TUFF REMOTE REEL

- · 600L Polytuff tank with sump fitted to galvanised skid
- · Honda engine and Comet 60/20 pump (58L/min open flow, 20 bar (290psi)max pressure)
- · Reel Tuff remote reel with 100m Smoothline hose & Turbo 400 spray gun



1100 LITRE ON-ROAD TRAILED FIRE FIGHTING UNIT

5.5 HP Honda/Davey with low oil protection.

- Max. 425 L/min open flow or max. 80psi pressure
- Heavy Duty Hosereel, 30m x 3/4" hose and adjustable fire nozzle
- Quick fill kit uses pump & large 6m hose for rapid tank fill, pump max. suction lift 6 meters
- Road-Registrable Galvanised trailer with mudguards
- 50mm tow hitch and Jockey wheel
- ADR approved LED Tail lights & break system
- · Screw down lid with breather and strainer basket for leaves and other debris



REEL TUFF 12V HEAVY DUTY REMOTE REEL

The professional tool for convenience, ideal for contract spraying or farm. This reel can be used for road side spraying, through undulating scrub, poulty sheds or glass houses.

- · Heavy-Duty High torque Direct Drive Gear box
- Galvanised steel construction for corrosion & scratch resistance
- Long range remote system with automatic frequency hopping technology for interference-free use
- Turbo 400 spray gun with Snap-Lock connectors for neat storage Ratcheting pin lock for transport, keeps hose on the spool
- No belts, chains or sprockets to maintain



GALVANISED FOR LONGER LIFE







12V SPRAYERS

SPOTPAK REDLINE 25L SPRAYERS

Rechargeable or 12V options deliver versatile spraying solutions for mower trailers or quad bikes.

- 2.6L/min open flow, 50psi max pressure
- 550mm stainless steel lance, adjustable nozzle and tank clips for storage
- SP25-R1: With 3m power loom and alligator clips
- **SP25-B:** 12V Rechargeable SLA battery and 240V charger (pictured)

25L Rechargeable Battery

\$226

SP25-B



SPOTPAK REDLINE 55L & 100L SPRAYERS

- Ideal for weed control and spot spraying
- 550mm stainless steel spray lance and adjustable nozzle

EASY

ASSEMBLY

- 3m wiring harness with alligator clips
- **55L:** 2.5L/min or 50psi max (pictured)
- 100L: 5.3L/min or 60psi max 100 LITRE

\$389



BOOMLESS NOZZLE KITS

Upgrade Redline Trailers for boomless spraying.

- **55L:** 2m spray width
- 100L: 3m spray width

\$131 TR55-10



TRAILER KITS FOR REDLINE SPRAYERS

- Converts a Redline into a trailed sprayer for spraying larger areas with ride-on mowers
- Powder coated Steel frame with adjustable double tongue hitch
- Large pneumatic wheels for smoother ride and better manoeuvrability
- **55L Mode**l with 16" x 4.8" wheels
- 100L Model with 16" x 6.5"

55 LITRE \$119 TR55 100 LITRE \$179 TR100



300L 12V LIGHTFOOT SPRAYER

Fully assembled, tested and ready for use for towing behind quad bikes or other vehicles with a 50mm tow ball hitch.

- 20L/Min open flow Aquatec pump with pressure regulator
- 30m of 10mm ID Ag hose with variable spray gun
- Aquatec 20L/min, max 60psi pressure with inline filter and pressure regulator
- 4m max coverage with galvanised cross fold boom with spring loaded break back and non drip nozzle bodies
- Air induction AIXR11002-VP nozzles
- Adjustable Atomiser spraygun with ECO hose reel featuring 30m of 10mm hose with lockable hub



\$3,790 LT30-58-2



50L QUADBIKE SPRAYER

Designed to fit neatly on most quad bikes and meet vehicle weight requirements.

- 5.3L/min open flow or 60psi max
- Spotjet spray gun with stainless steel lance and adjustable nozzle


\$439











PAK BOOMS 1, 2 AND 3M

Stainless steel construction with non-drip nozzle assemblies. Includes breakaway clips, hose, on/off tap. 3 metre spray.

• 2M - L99-08 ONLY \$282

• 1M -L99-09 ONLY \$228

• 3M - RP1-10 ONLY \$404



12V SPRAYERS

120PSI

MAX PUMP



50L, 100L & 200L SM00THFL0 SPOTPAK SPRAYERS

The professional grade Smoothflo Spotpak range delivers no pulsation and high pressure for effective spot and distance spraying.

- 7L/min open flow pump or 120psi max
- · 6m hose, Spotjet gun and adjustable nozzle
- · Drain plug for easy clean and empty
- Gun clips safely hold spray gun
- Sprays up to 8m

200L HIGH PRESSURE TRUKPAK SPRAYER WITH ECONOMY REFL

- Cover more area with a 30m hose reel for close coverage or distance spraying with the one sprayer for pest control, roadside or on-farm use
- 30M hose & professional Triam spray gun



200L TRUKPAK SPRAYER WITH ECONOMY REEL

Spray with the increased flexibility of a 30m hose reel for pest control. roadside or on-farm use.

- Aquatec 7L/min or 120psi max, constant flow pump for no pulsation spraying
- 30m of 10mm LD. Ag hose and professional PA spray gun



- Provides a range of outputs to support general spot spraying, high volume spraying and high pressure spraying 38L/min or 4000Kpa (580psi)max
- 30m Hose Reel and Professional Triam spray gun
- Baffled tank to reduce surge





100L UTEPAK TRUKPAK SPRAYER

• UV stabilised polytuff tank brass inserts at base for easy mounting

· Large drain outlet for easy empty and clean

SHOWN WITH 15M RECTACTABLE REEL AND 120PSI SMOOTHFLO PUMP

UP100-S7-2



200L TRUKPAK SPRAYER WITH RETRACTABLE REEL

Comes with a 15m hose retractable reel for pest control, roadside or on-farm use.

- Aguatec 7L/min or 120psi max constant flow pump for no pulsation spraying • 15m of 3/8" I.D.
- Ag hose and PA spray gun with adjustable nozzle



300L SQUATPAK

- Aquatec Smoothflo pump 12V DC
- 7L/min (open flow) for no pulsation spraying max 690kpa / 120psi
- . Eco hose reel with 30m of 10mm hose
- Atomiser + Spray gun with lever adjustable spray pattern from pencil stream to cone mist Features durable accessory
- mounting points with large M10 inserts



300L SQUATPAK

- Aguatec Smoothflo pump 12V DC
- 7L/min (open flow) for no pulsation spraying max 690kpa / 120psi
- Spring retractable hose reel with 15m of 3/8 hose
- Atomiser + Spray gun with lever adjustable spray pattern from pencil stream to cone mist





ONLINE STORE silvan.com.au/selectashop*



SPRAY ACCESSORIES

180J1510A





WATER

CHEMICAL



FREE STANDING NIAGRA SILMIX

- 30L polyethylene tank with 455mm hinged lid
- 3 on/off taps to control
- · Powder washer bar inside hopper
- · Valve at base of unit to isolate the tank from the induction venturi

CHEMICAL SAFETY




CONVERTIBLE BRASS BOOMLESS NOZZLE

Attaches easily to your quad-bike rack or vehicle frame eliminating the need for a spray boom.

- · Includes extra nozzle for one-sided spraying ~ 3.5m swath
- Easily connects to common 12V pumps (5-10Lmin)
- Includes inline on/off tap





180G03010E

MATRIX 430 GPS GUIDANCE SYSTEM

Use GPS technology to help guide tractors and machinery for optimal application when boom spraying to minimise spray overlap/underlap.



ATV BOOMLESS NOZZLE KIT

Ideal for applications where a conventional boom cannot be used due to obstacles, such as power poles, guardrails, fences trees, etc. Attaches to your guad bike rack and can run off your 12V pump.

- Can be set for spraying one or both sides
- Adjustable for gully spraying
- · Large droplets, ideal for herbicide
- M99-74: Suits pumps 5-10L/min
- M99-75: Suits pumps 10-20L/min



14L SINGLE SIDED FOAM MARKER

• 12V fully sealed, dust free diaphragm

 UV stabilised polv tanks In cab remote mounted control box with wiring

loom

WAS \$818



16L & 57L FOAM MARKERS

Eliminates expensive under or over lapping of chemicals.


- In cab remote with On/Off & Left/Right control
- 16L: 16m delivery hose and double foam droppers
- 57L: 36m delivery hose and double foam droppers











CHEMICAL GLOVES

- Complies with EN388:3111
- · Resistant to oil, grease and chemicals



PROFESSIONAL FACE SHIELD

- · Ratchet adjustable headband
- 200mm x 394mm visor



PORTABLE SPRAYERS

SUNDSTROM RESPIRATOR KIT

- Top quality breathing apparatus
- Suitable to most farm spraying operations and a pack of five pre-filters







SILVAN 15L BACKPACK SPRAYER

Simple to use sprayer, ideal for weed control, garden pest and fungicide applications.

- Stainless steel lance with filter, lockable trigger and adjustable nozzle
- Viton diaphragm for use with various chemicals
- Anti-spill screw lid and strainer
- Padded straps and switchable pump handle

15 LITRE **\$79**KN15D-1







15L PRO SERIES PISTON KNAPSACK

- Professional sprayer for weed & pest control or liquid fertilising
- Superior anti-spill lid
- Viton seals

\$169 CP-61800



SPOTPAK REDLINE 25L RECHARGEABLE TROLLEY SPRAYER

Hassle free weed control and spraying solution without being plugged into an external power source.

- 2.6L/min open flow
- Spray gun with 550mm Stainless Steel lance, adjustable nozzle and 6m hose
- 240V charger supplied plus measuring jug stored beneath the lid

\$299 SP25-TR2



HEAVY DUTY CHAPIN KNAPSACK

Commercial quality sprayer with Jet Clean self-cleaning filter for garden maintenance.

- Viton Seals
- Stainless-steel wand with cushion grip and 3 nozzles - fan, cone and adjustable brass
- Fold-up handle

\$219 CP-63900





12L HEAVY DUTY TROLLEY PRESSURE SPRAYER

- Accurate application of herbicide, pesticide, fertiliser, degreaser & cleaning products
- 500mm aluminium lance and adjustable nozzle

\$79 TR12-2



CHAPIN SURESPRAY HANDSPRAYERS

Suitable for pesticides, herbicides, fertilisers, cleaning products and degreaser.

- 4L or 8L capacities
- · Wide funnel top opening
- Measuring cup and spray shield included

\$63





16L RECHARGEABLE BACKPACK SPRAYER

Ideal for weed control around the house, nurseries, parks and gardens.

- Flow rate: 1.5 L/min open flow 40psi
 Up to five tanks of
- Up to five tanks of spraying per charge
- Auto on/off pressure switch triggered when using spray lance
- Viton valves / Santoprene diaphragm

\$195 WP16-6





ONLINE STORE silvan.com.au/selectashop*



SPRAYING EQUIPMENT



PASTUREPAK LINKAGE SPRAYER

The complete spraying package for effective weed control in dairy, pasture and general field spraying applications.

- 400L, 600L and 800L capacities
- 6m or 8m fully galvanised boom with air induction nozzles & nozzle protection
- 20m Hose reel with Triam 44 spray gun

CODE	SIZE	PUMP	PRICE
KBE400	400L (6m Boom)	58 L/min (2000kPa)	\$5,170
KBF400	400L (8m Boom)	58 L/min (2000kPa)	\$5,500
KBE600	600L (6m Boom)	58 L/min (2000kPa)	\$5,445
KBF600	600L (8m Boom)	58 L/min (2000kPa)	\$5,775
KBE800	800L (6m Boom)	71 L/min (2000kPa)	\$6,490
KBF800	800L (8m Boom)	71 L/min (2000kPa)	\$6,820



ECONOMAX LINKAGE SPRAYER 800L

High capacity sprayer with a 10m galvanised boom and hose reel for field and spot spraying in one package.

- 10m galvanised manual fold boom with nozzle protection and air induction nozzles
- 58L/mm (2000kpa) pump

20M HOSE REEL WITH TRIAM 44 SPRAY GUN





Triam Spray Gun is ideal for high pressure applications with a trigger adiustable spray pattern.



REMOTE RETRACTABLE REEL LINKAGE SPRAYER

• 30m spot spraying kit

• 58L/min (2000kPa) pump

The ideal spot spraying package for effective weed control in steep terrain, glasshouses & poultry sheds.

- 400L and 600L capacities with 58L/min (2000kPa) PTO pump
- Long range remote system with automatic frequency hopping technology for interference-free use
- 100m of 1/2" nylon tubing with Turbo 400 spray gun
- No belts, chains or sprockets to maintain







SUNTUFF LINKAGE SPRAYER

Suntuff air assist TPL sprayers are designed specifically for small orchards and vineyards, and where high performance is required from low horse power tractors.

- The linkage mounted sprayer is particularly suited to narrow rows and smaller properties where restricted headlands make a sharp turning radius necessary
- Fan size and tank can be matched to the application
- · Tractor requires a minimum of 25HP













FARMING EQUIPMENT

102 SERIES GP SLASHER

Australian made general purpose slasher suited to clearing paddocks, fields and private roadsides.

- 3'6", 4', 4'6" and 5' cutting widths
- · Centre mount and offset
- · Front and rear rubber stoneguards











131 SERIES **HEAVY DUTY SLASHER**

Made in Australia with a 6mm galvanised deck for increased longevity. Suited to large acreage applications.

- 5', 6' and 7' cutting widths
- · Front and rear rubber stoneguards



WARRANTY





SITREX FINISHING MOWER

Suited to golf courses, sports grounds and gardens where a smooth finish is required with low HP tractors (12 - 60HP). Designed to cut grass between 25mm and 100mm in height, which can easily be adjusted via 4 sturdy castor wheels.

CODE	DESCRIPTION	WAS	NOW
SM120P	1.2m Rear Discharge	\$3,707	\$3,200
SM120L	1.2m Side Discharge	\$3,553	\$3,200
SM150P	1.5m Rear Discharge	\$3,938	\$3,450
SM150L	1.5m Side Discharge	\$3,784	\$3,450
SM180P	1.8m Rear Discharge	\$4,389	\$3,800
SM180L	1.8m Side Discharge	\$4,092	\$3,800
SM230P	2.3m Rear Discharge	\$6,446	\$5,900





With a base hopper capacity of 900 litres and the ability to extend up to 2000 litres these spreaders are suited to a wide range of applications and have the added benefit of a stainless steel hopper.



SITREX RP LINKAGE HAYRAKE

A simple robust inline hayrake requiring minimal maintenance suitable for raking. turning and spreading hay crops, grain crops, stubble and sugar cane debris.

- 4, 5 and 6 wheel models
- Working widths 2.6 4.1m respectively





CA TWIN DISC SPREADER

A compact spreader suited to spreading granular fertiliser in vegetable, pasture, vinyard and orchard applications.

- 900, 1200, 1500 and 2000 litre capacities
- Twin stainless steel disc with up to 24 metre spreading widths
- Hydraulic left and right independent controls with stainless steel tie rods
- Filter grid to prevent fertiliser lumps blocking the gates and compromising quality, accuracy and spreading uniformity
- Options include conveyor attachments and hopper cover





SPREADERS AND SPRAY GUNS

SX SPREADER

- Galvanised metal hopper
- Includes PTO shaft/drive
- 6m -18m spreading width
- · Optional one-sided conveyor
- One manual control lever is calibrated for quantity of application and a second control lever offers three settings for spreading pattern left, right and full

WAS \$990



Hopper

Spread



PL SPREADER

Has a non-corrosive polyethylene hopper suited to small and medium spreading applications.

- 350 litre capacity poly hopper
- Stainless steel spinning disc
- Includes PTO shaft/drive
- 6m 18m spreading width
- · Optional hopper cover and one or two sided conveyor



Spread

6-18m

350 LITRE CAPACITY

ECONOMY TRAILED SPREADER

- The hopper is manufactured from a single piece of spun seamless steel The support frame is constructed of pressed and tubular steel
- Two piece cast aluminium gearbox with constant drive, one driven wheel, one free wheel
- One single lever for rate control. with mechanical spindle agitator



Adiustable draw bar with 5 height positions & 15mm diameter tow pin



TRIAM JETPRO SPRAY GUN

- · Strong corrosion resistant lance with non-drip shut off at nozzle
- Max pressure 40bar (600psi) to support atomising spray for greater coverage
- · Professional control sprays from straight stream to fine cone with adjustable trigger limiters which can set repeatable spray pattern or even lock on totrigger to for easier consistent spraying



Max. pressure rating of 4000kPa (600psi) Variable spray pattern from straight stream to conical mist



TRIGGER SPRAY GUN

Lightweight durable spraygun is a replacement gun for most 12V sprayers and knapsacks.

- The poly hand piece has a lock on/off feature
- Fitted with chemical resistant O'Rings
- · Adjustable nozzle that produce a straight stream or a conical spray patter
- Hose ID 6mm 0D 12mm Wt .206kg, length 780mm
- Stainless steel lance



ALL-STEEL GALVANISED CARRYALL

- 4' or 6' wide models with Cat. I TPL linkage
- · Replaceable bolt-on checker plate floor
- All round farm use for carrying various items such as fertiliser, fencing equipment, firewood, tools, etc.



ATOMISER+ SPRAY GUN

A Heavy duty spray gun designed for professional and general spraying with an ergonomic handle to maintain comfort of use. An adjustable spray lever changes spray from straight stream to conical mist.

• Heavy duty polypropylene construction with steel/brass barrel



TURBO 400 ALUMINIUM SPRAY GUN

- · Constructed from high impact components
- Minimum operating pressure for misting is 150 psi
- 1/2" BSP M inlet and hose swivel.
- Supplied with 3/8" and 1/2" hosetails
- Max pressure 725psi



TURBO 400 SPRAY GUN

Straight stream or conical mist with Polypropylene hand piece.

- Minimum operating pressure for misting is 150 psi
- 1/2" BSP M inlet and hose swivel
- Supplied with 3/8" and 1/2" hosetails



PA SPRAY GUN

Popular with farmers, orchardists and contractors they are manufactured in a range of materials from stainless steel, brass and polypropylene.

• On/off trigger grip action with lock off position

• 1/4" BSP F inlet supplied with 3/8" and 1/2" hosetails

• Fibreglass reinforced body

700MM LONG



HELPS

REDUCE

FATIGUE







40 BAR

MAXIMUM

PRESSURE

SPECIAL

PUMP INTO ACTION













• 20 L/min open flow or 60psi max.







IDEAL

FOR SPOT

SPRAYING



• 6.8L/min open flow or 60psi max

· Viton valves/Santoprene diaphragm





SELECTA PAKPUMP 3.1L/MIN

Ideal for spot spraying, single nozzle applications.

• 3.1L/min or 60psi



SELECTA PAKPUMP 5.3L/MIN

Mid-range pump for spot spraying or small boom applications.

• 5.3L/min or 60psi max

 Viton valves/Santoprene diaphragm



SELECTA PAKPUMP 12.5L/MIN

This larger flow rate pump is ideal for small-medium boom spraying or fluid transfer applications.

• 12.5L/min or 35psi

Viton Valves, TPU diaphragm



BP60/20 4 STROKE Oil backed diaphram pump

- · Direct coupled to motor
- Adjustable pressure regulato
- . 1 metre maximum suction lift

· Pressure accumulator with pressure gauge

• Inlet size: 25mm; Outlet size: 12mm





SPECIAL

HONDA

ENGINE

GX160





IDEAL

FOR SPOT

SPRAYING

DIESEL TRANSFER EQUIPMENT

HEAVY DUTY JUMPER LEADS

JS04 \$159 VALUE



200L. 400L & 600L **DIESELPRO TRANSFER UNITS**

- 12V Piusi 45L/min open flow, self-priming pump
- · 5m hose and auto shut-off gun with swivel
- Lockable pump cover and filling cap
- 4m wiring harness with alligator clips



1100L & 2200L DIESELPAK TRANSFER UNITS

Large capacity diesel storage for farm and construction equipment.

- 451 /min Italian 12V Piusi pump
- 5m hose & auto shut-off gur
- Tank foot design allows bolt down mounting
- SQD2200-5 has a 4m hose

800L DIESELPAK

• 45 L/Min open flow

auto shut-off nozzle

• 12V PIUSI Self-priming pump

• 5m 3/4" delivery hose with



HEAVY DUTY JUMPER LEADS



HEAVY DUTY

JUMPER LEADS

JS04 \$159 VALUE

2200L UNIT FITTED WITH

MIN





PUISI 4 DIGIT MECHANICAL DIESEL METER K44

- Meter face can be rotated in four different orientations
- Accuracy: ±1% (after calibration)
- Suitable for gravity feed Itank must be 1.5m above meter)
- Subtotal can be set to zero

I" BSP FEMALE PORTS



RATE

SELECTA POWER DIGITAL DIESEL METER

 This kit is supplied with additional fittings to allow the 1" BSP meter to be fitted to 3/4" BSP, or adapt a 1" hose to a 3/4" nozzle and meter



SELECTA BLUE 200 LITRE 12V TRANSFER UNIT

 UV stabilised olvtuff tank

INLINE

FUEL

METER

- Self-priming 35L/m diaphragm pump
- · 4m delivery hose with manual shut-off gun





JUMPER LEADS

JS04 \$159 VALUE









DIESEL AND ACCESSORIES





Ideal for quick & easy oil changes on lawn mowers, ATV's, cars, lawn mowers, tractors and small engines.

• Supplied with pump & suction hoses



AUTO SHUT-OFF DIESEL GUN

This gun is featured on most Selecta diesel units.

3/4" BSP

FEMALE

INLET

SOLAR-6W

• Capacity to 58 L/min

1.5 L/MIN

MAXIMUM TRANSFER RATE

• Requires 50 kPa (7.5 psi) to open Not suitable for gravity fed applications



12V battery

tractors, etc.

Maintain

12V DIESELPOWER PUMP KIT • 1" BSP female ports MIN • 4m of 19mm I.D. hose · Auto shut-off gun & swivel • 4m battery cable WAS \$389

DIESEL **WATER FILTER**

Inline Diesel moisture filter for easy-to-install maintenance and protection of your equipment

· Clear filter bowl with drain tap

FEMALE PORTS



LED ROTATING 12V BEACON

- Multiple flash patterns
- · Low profile with magnetic base for easy installation
- · Cigarette lighter plug WAS \$116





· Soft magnetic base for temporary install · Cigarette lighter plug



with suction cup · Provision to screw down for temporary or

permanent install

Cigarette liahter plua

ANIMAL ENCLOSURES

Two sizes of enclosure, designed for small and large pets. Fully galvanised steel and chain link mesh construction is sturdy, reliable and easy to assemble (flat packed for easy delivery).

• Small Size (m): 2.3 L x 1.9 W x 1.2 H - 46kg

• Large Size (m): 3.9 L x 2.2 W x 1.82 H - 72kg



12V DIESELPOWER PUMP

- 40 L/min open flow, 22 Amp max • 3/4" female BSP inlet/outlet
- 4m battery cable with alligator clips
- · Self priming with internal 3 minute pressure bypass · Max. head 10 metres



MIN







PROTECT YOUR ASSETS

V60 MOTION ACTIVATED SECURITY CAMERA

Compact and self contained surveillance device for covertly monitoring indoors and outdoor areas. Ideal for securing of; farm gates and driveways, fuel supplies, sheds, garages, workshops, livestock, fox's and wild dogs, machinery and tools.

- High clarity 12MP camera with 60° lens
- 8GB SD card included. Note: not suitable for WiFi SD cards



- Fast response time down to 0.6 Seconds
- · Day and night use with No-Glow night vision
- Internal Screen for image review and setup
- · Operates with 4 or 8 AA batteries
- IP54 for outdoor use





• Tough Polycarbonate lens

Powerful lightweight lithium battery for 2 hour plus run time

• AC 240V charger and 12V DC car charger included





SENTINEL WIRELESS SURVEILLANCE

Upgrade the security on your premises with this modular, easy-to-install system and monitor via monitor, smart phone or mobile device.

- Wireless video up to 150m for monitoring
- Indoor & outdoor CCTV system with 7" screen
- Runs up to 4 cameras per kit

ONE CAMERA KIT

COMPACT SECURITY CAMERA

CAMERA



CCTV1-CAM

CAMERAS PER KIT

* Live view to mobile requires broadband internet connection. You must connect base station to modem via cable for remote viewing.

DRIVEWAY SENSOR MOTION ALERT & DOORBELL

Mount at front door, gate, workshop or restricted areas, audibly alerting when people or vehicles pass.



up to 8m WAS \$49

chime

triggers simple

"Ding-Dong"

SEC-ALERT2

MOTION ACTIVATED 12MP SECURITY CAMERA

- Standard 52° camera view (similar to smart phones
- 8GB SD card which stores 5600+ images
- Up to 6 months standby time using 8 x AA batteries





WIDE ANGLE MOTION ACTIVATED 12MP SECURITY CAMERA

- Wide 120° camera view
- Supplied with standard 16GB SD card which can store 11,300+ images
- Up to 9 months standby time using 12 x AA hatteries



VIDEO AND STILL **IMAGES**

STORES 11,300+ **IMAGES**



RECHARGEABLE 15W PORTABLE WORK LIGHT WITH MAGNETIC BASE

plastic housing IP44

- 5 bright powerful LEDs
- 1000+ Lumens upto 4 hours running time
- Lithium rechargeable battery
- AC 240V charger and 12V DC car charger included


1000 LUMENS PLUS











SECURITY CAMERA MOUNTING BRACKET

- · Adjustable wall mounting bracket
- Mounting screws included





HARDWARE SPECIALS

CYCLONE SQUARE MOUTH SHOVEL

- Sealed Australian hardwood handle
- Titanium treated Australian steel blade



SELECTA HEAVY DUTY POLY TRAY WHEELBARROW

Designed for heavy duty requirements and built tough to work hard.

- UV treated 100L poly tray for strength & durability
- 16" x 4.8" Pneumatic wheel on steel rim with sealed bearings
- · Fully welded 32mm x 6mm solid flat steel front stays & legs





SELECTA STEEL TRAY WHEELBARROW

- 100L steel tray
- · Shock board
- Galvanised steel handles with rubber grips



100L STEEL TRAY WB038

JEW

RELEASE

TILT TRAILER

- Tray tilts for easy loading or unloading of contents
- · Pneumatic wheels with steel rims
- · Powder coated steel frame

 Drawbar & universal hitch pin for ride-on mower



to push along car with dolly

LED MOUNTABLE WORKLIGHTS

- Worklights are a mix of flood and spot types also have different lumens output.
- · Fits to trucks, tractors, utes, guad bikes and 4WD's.



LIGHT-10A \$55

LIGHT-12B **\$99**

LARGE 234W LIGHTBAR WITH SPOT LENS



WAS \$244 LIGHT-13B \$199



WAS \$399



DRIVING LIGHT

distant view with broad focus.



Spot touring beam for

LIGHT-14B-PK

LUMENS BEAM Includes simple swivel mount



360PC AUTO TERMINALS & CONNECTORS ASSORTMENT KIT

 Simply crimp to connect

40PC HOSECLAMP ASSORTMENT KIT

· Stainless steel

ASSORTMENT KIT

size fuses




QUAD BIKE RAMPS · Tough, lightweight

- and compact design
- · Folds in half for easy storage
- to avoid slippage









Silvan HELLO SUMMER SPECIALS

RFI FASI

NEW

RELEASE

625KG

CAPACIT



- 100L low profile tank
- Lockable filler cap
- 12V 40L/min open flow pump
- · 4m delivery hose with auto nozzel

SQDN100-P



300L SKID SPRAYER WITH REEL TUFF REMOTE REEL

- Steel skid frame, hot dipped galvanised skid for extra durability and superior corrosion resistance
- Honda 5.5HP engine driven Comet BP60/20 Diaphragm pump (58L/min open flow or max 2000kpa) with regulator and spare outlets
- 100m of 1/2" O.D. hose with kink resistant nvlon tubing







FOLDING LOADING RAMPS

Made from tough lightweight aluminium.

• Overall length is 2.26m x 280mm wide x 11.9kg (each ramp)

• Curved design increases clearance





HEAVY DUTY WORKSHOP PICKING TROLLEYS

- · 2 Reinforced poly trays
- Drink holder and storage for box cutter, pens & markers

PCART-2

- Tray size: W 435mm x L 790mm
- Size: W 435mm x L 1000mm x H 835mr

120mm non-marking wheels (2x fixed, 2 x castor)

PCART-1

- Size: W 650mm x L 1180mm x H 835mm
- Tray size: W 650mm x L 940mm

Trolly contents not included.

Shown for illustrative purpose only. FLAT PACKED. DIY ASSEMBLEY REQUIRED

12V JUMP START & POWER SUPPLY

 Supplied with AC240V. 12V DC Car and USB cable charger 600A (peak) Cranking Amps

Your local dealer:

- 2 USB ports to charge phones
- Overload & short-circuit protection
- LED worklight with SOS ligth function



200KG

MAX

LOAD

SILVAN AUSTRALIA PTY. LTD. ABN 48 099 851 144

FREE CALL 1300 745 826 FAX 1800 745 826 Email: info@silvanaust.com Web: silvan.com.au

Prices include GST, exclude dealer installation and/or freight charges * Not all products listed are available online. Check Selectashop for details.

All items in this catalogue have been included in good faith on the basis that goods described were available at the time this catalogue was published. Failure of suppliers to deliver in accordance with samples, descriptions, or at all, or other unintentional causes may result in some lines being unavailable. Space may prevent some participating dealers from stocking all items. All brand names and product names used in this publication are trade names, registered trade marks, or pending trade marks of their respective owners.